



**CHANG  
FLOR**

MAIN PRODUCTS



+86 189 5395 5575

angela@wpcspc.com



www.changflor.com



Rm1103, A10Building, Lushang Center, Guangzhou Road,  
Lanshan District, Linyi City, Shandong Province, China



# FLOORING contents

1-2 Company Profile

3-4 Certifications

5-6 Surface Embossing

7-8 Pattern Chart



9-12 Structure

13-46 Wood Grain Series

47-70 Stone Pattern Series

71-82 Carpet Pattern Series

83-84 Accessories



## COMPANY PROFILE

SPC Flooring  
 Luxury Vinyl Flooring  
 Self-Adhesive Flooring  
 Dry Back  
 Click Flooring  
 Loose Lay  
 Rigid Vinyl

**50,000**

Covering a land-area of about 50,000 square meters

**SINCE 2005**

20 years exported to more than 60+countries

**30+**

A 30 person sales team and quick response

ChangFlor is a leading manufacturer of SPC, WPC, MPC, and Luxury Vinyl Plank (LVP) flooring in China. Our 50,000m<sup>2</sup> production facility is equipped with advanced automated production lines, modern testing laboratories, and efficient warehousing systems, ensuring stable quality and reliable supply.

With a monthly production capacity of up to 300,000m<sup>2</sup>, ChangFlor offers a full range of flooring solutions, including SPC flooring, WPC flooring, MPC flooring, dry-back flooring, loose lay flooring, self-adhesive flooring, magnetic vinyl flooring, and click-lock flooring.

Our factory employs approximately 160 staff members, including:

- 5 professional R&D engineers dedicated to new flooring development
- 10+ production specialists with over 10 years of industry experience
- 6 quality control inspectors
- 10+ domestic and international sales representatives
- 6 installation and after-sales service specialists

Supported by a professional R&D team, experienced production staff, strict quality control inspectors, and dedicated sales and after-sales service teams, we are committed to providing high-quality products and excellent customer service.

Our flooring products are exported to more than 100 countries and regions worldwide, including the USA, Canada, Europe, Southeast Asia, South America, Russia, and Africa.

ChangFlor is your trusted partner for durable, stylish, and innovative flooring solutions.

## WE CHERISH MORE TO THE ENVIRONMENT

We insist on our enterprise mission of leaving the forest to nature and letting humans enjoy the green world, no forest destruction, and no environmental pollution while offering the world healthier, more environmentally friendly floor coverings.

## WE TAKE GLOBAL CERTIFICATES AS DUTIES

SPC, LVT, and ESPC products from **ChangFlor** already have many certificates such as Floor score, AST-M, TUV, and CE. All the raw materials we use in production processes and their effect on the environment are open to all.

## WE CONCERN MORE WITH YOUR HEALTH

As for the safety of the floor covering, from the raw material to the production process, rest assured that **ChangFlor** will never add any harmful ingredient to ensure the safety of the floor piece.



GREENGUARD Gold Level



Emissions In Indoor Air A+ Level



ISO9001 Certified



ISO14001 Certified



FloorScore Certified



CARB Certified




CE Certified

## Certifications







### Surface Embossing




Deep Wood



Plain Lines(Crystal Line)



Slate(stone)



Orange Peel(coralline)




Carpet Texture



Hand-Scraped(knife chop)

### Exclusive embosses for enhanced designs

Getting Inspiration From The Nature  
We have elegant wood designs and exquisite stone designs.  
You could feel the wood texture with our embossing surface.



Flat grain



Plain Skin




Wood Grain

### Real Touch

Ground Is A Kind Of Aesthetics,  
the integral unity of layout and consider aesthetic control of the space,  
those give birth to a magnificent chapter of art on the ground.

## Pattern Chart




### Herringbone

Wood planks are laid in a zigzag pattern, typically at a 90-degree angle to each other, creating a distinctive and elegant look.





### Chevron

Similar to herringbone, but with planks cut at a 45-degree angle and laid to form a continuous zigzag pattern, offering a modern twist on a classic design.



### Mosaic

Arranged in a closely packed pattern to form an intricate design or pattern.




**Brick Bond** The floors are laid in a staggered pattern, similar to the arrangement of bricks in a wall. Each row of boards is offset by half the length compared to the adjacent row, creating a cohesive and unified look. The resulting pattern resembles the pattern of bricks on a brick wall, hence the name "brick."

## SPC Click Flooring Structure

SPC is a particularly new product in the flooring industry. It not only gathers most of the current flooring material, but also provides better performance by being waterproof, rigid, dimensionally stable, and relatively environmentally friendly. Thus it can be safely used in areas with sustained exposure to moisture, such as bathroom, laundry room, and kitchen. With good rigidity, SPC provides a quieter, warmer vinyl flooring with a cushioned backing attached.

**SPC Click** SPC is available with a locking system.



Regular	Thickness	3.5mm to 7.2mm	
	IXPE/EVA	1mm, 1.5mm, 2.0mm	
	Common		1210mm×183mm
			1220mm×184mm
			1524mm×228.6mm (60"×9")
			620mm×310mm (24.4"×12.2")
			1219.2mm×183mm (48"×7.2")
	914.4mm×150mm (36"×5.9")		
Customization	Length	900mm to 1800mm	
	Width		145mm to 150mm
			179mm to 183mm
			227mm to 231mm
			305mm to 311mm

## Size Available of Vinyl Plank Flooring



1210mm×183mm



1220mm×184mm



1524mm×228.6mm (60"×9")



620mm×310mm (24.4"×12.2")



1219.2mm×183mm (48"×7.2")



914.4mm×150mm (36"×5.9")



Waterproof



Fire Resistant



Environmental Friendly



Easy to Maintain



Worry-Free Warranty



Customization Options



Easy Installation



Super Anti-Slip



DIY




MUTE

## LVT Structure

The LVT series brings a trendy variety of wood decors available in registered embossing. With realistic surface textures, the collection allows you to see the grains and knots just like real wood. It is suitable both for the home and commercial areas. You also have a choice regarding installation: all designs are available for gluing, loose lay, and click systems.


### LVT Click



LVT Click Lock Flooring	Thickness	3.5mm-6.0mm
	Wear Layer	0.2mm-0.7mm UV Coating
	Underpad	1mm-2mm IXPE/EVA
	Installation Type	Click Lock




### Loose Lay



LVT Loose Lay Flooring	Thickness	4.0mm-6.0mm
	Wear Layer	0.3mm-0.7mm UV Coating
	Installation Type	Loose Lay(No Glue)

### Dry Back



LVT Dry Back Flooring	Thickness	1.5mm-5.0mm
	Wear Layer	0.2mm-0.7mm UV Coating
	Installation Type	Glue Down



**CSF-31186LB**



### **NATURE**

Getting Inspiration From The Nature  
We have elegant wood  
design and exquisite stone designs.  
You could feel the wood texture  
with our embossing surface.



**CSF-31180/1**

### **TREND**

Combination of parquet design,  
mixed color, herringbone, random widths.

### **AESTHETICS**

Ground Is A Kind Of Aesthetics,  
the integral unity of layout and take aesthetic control of the space into consideration,  
those give birth to a magnificent chapter of art on the ground.



CSF-31169B/3

CSF-31169B/6

CSF-31169B/2

CSF-31169B



CSF-31184





CSF-31185L/2



CSF-31185L/5



CSF-31185L/7



CSF-31185L



CSF-31186LA



CSF-31186LA/1

CSF-31186LA/2

CSF-31186LA/4

CSF-31186LA/8

CSF-31186LA/7

CSF-28041 Washed Oak / 水洗橡木

CSF-28041/7



CSF-28041/5



CSF-28041/4



CSF-28041/3



CSF-28041/8



CSF-28041/2



CSF-28050 Washed Oak / 橡木

CSF-28050/5



CSF-28050/7



CSF-28050/3





CSF-31176



CSF-31176/6



CSF-31176/7



CSF-31176/9



CSF-31180 Oak / 橡木



CSF-31180/1



CSF-31180/3



CSF-31180/5



CSF-31180/16

CSF-31188 Oak / 橡木



CSF-31176/6 CSF-31176/7 CSF-31176/9



CSF-28048 Oak / 橡木



CSF-28048/1 CSF-28048/6 CSF-28048/7 CSF-28048/8

CSF-28049 Oak / 橡木



CSF-58049/2 CSF-28049/3 CSF-28049/5 CSF-28049/6 CSF-28049/8



CSF-31173



CSF-2101/4



CSF-2202/2





CSF-2203/33



CSF-2203/1



CSF-2203/2



CSF-2203/3



CSF-2203/5



CSF-2203/6



CSF-2203/11



CSF-2203/15



CSF-2203/43



CSF-2204/3



CSF-2204/1



CSF-2204/2



CSF-2204/3

# CSF-2205



CSF-2205/1 CSF-2205/3 CSF-2205/4 CSF-2205/5 CSF-2205/8 CSF-2205/10



# CSF-2206



CSF-2206/1

CSF-2206/2

CSF-2206/3



CSF-2208/2



CSF-2209/5



CSF-2208/1



CSF-2208/3



CSF-2208/4



CSF-2208/7



CSF-2209/1



CSF-2209/8



CSF-2209/10

# CSF-2210/5

CSF-2210/1



CSF-2210/2



CSF-2210/3



CSF-2210/1



CSF-2210/2



CSF-2210/3



# CSF-2212/6



CSF-2212/1

CSF-2212/2

CSF-2212/5



CSF-2214/8



CSF-2215/7



CSF-2216/5



CSF-2216/1



CSF-2216/4



CSF-2216/6



CSF-2226/5



CSF-2226/1



CSF-2226/4




CSF-2226/6




CSF-2226/10



CSF-2314/7




CSF-2314/1 CSF-2314/2 CSF-2314/4



CSF-2314/7A CSF-2314/5 CSF-22314/7B



CSF-2357/1



CSF-2357/1 CSF-2357/1



CSF-50001



CSF-50056





CSF-50062



CSF-50051



CSF-50062



CSF-51904



CSF-51921



CSF-52043



CSF-52182



CSF-52205



CSF-52227



CSF-35088



CSF-25088/1



CSF-25088/3



CSF-25088/4



CSF-25088/6

CSF-35019



CSF-35019/2



CSF-35019/4



CSF-35019/6





CSF-35019/7






CSF-35094K




CSF-35094K/2



CSF-35094K/3



CSF-35094K/4



CSF-35094K/6


CSF-35107K



CSF-35107K/1



CSF-35107K/2



CSF-35107K/4

CSF-35109K



CSF-35109K/4



CSF-35109K/12



CSF-35109K/13



CSF-35120K



CSF-35120K/1



CSF-35120K/2



CSF-35120K/4



CSF-99001/2



CSF-99001/1



CSF-99001/2



CSF-99001/3



CSF-99001/4




CSF-99002/2



CSF-99002/1



CSF-99002/3




CSF-99003/1



CSF-99003/2



CSF-99005/1



CSF-99005/4



CSF-99005/5



CSF-99005/8



CSF-99004/1




CSF-99004/2




CSF-99004/4



CSF-99007/2



CSF-99007/1




CSF-99007/2




CSF-99008/5



CSF-99008/1



CSF-99008/4




CSF-99008/5



CSF-99009/1




CSF-99009/4



CSF-99009/5



CSF-99009/7



CSF-99009/3



CSF-99010/3



CSF-99010/1



CSF-99010/3



CSF-99011/3



CSF-99011/4



CSF-99011/1



CSF-99011/5



CSF-99012/1




CSF-99012/1




CSF-99012/5




CSF-99014/3




CSF-99013/1




CSF-99013/2



CSF-99014/18



CSF-99014/7



CSF-99014/11



CSF-99015/1



CSF-99015/1B



CSF-99016/1



CSF-99016/2




CSF-99018/1




CSF-99017/1




CSF-99017/2




CSF-99017/5




CSF-99020/7




CSF-99020/1



CSF-99020/2



CSF-99020/4



CSF-99020/8



CSF-99022/1



CSF-99022/2




CSF-99025/1



CSF-99025/2




CSF-99025/4




CSF-99025/5



CSF-99022/1



CSF-99022/3




CSF-99022/5



CSF-99024/1



CSF-99024/3




CSF-99024/10



CSF-99041/1



CSF-99041/1




CSF-99041/4



CSF-99041/6




CSF-35070/6



CSF-35070/7



CSF-35070/12




CSF-35070/13


CSF-35070




CSF-35101K




CSF-35101K/1



CSF-35101K/2



CSF-35101K/3




CSF-35101K/4



CSF-35124K



CSF-35124K/1



CSF-35124K/3




CSF-35124K/6



CSF-35130




CSF-35130/1



CSF-35130/10



CSF-35130/11



CSF-35130/12



CSF-35124K

CSF-35121/8

CSF-35121/7

CSF-35121/6


CSF-35121/1

CSF-35121/2


CSF-35121/3

CSF-35121/4

CSF-35121/5



CSF-51984




CSF-51986



CSF-51988



CSF-51989



CSF-39018K



CSF-39019K





## CSF-39020



CSF-39020/1



CSF-39020/4



CSF-39020/5



CSF-39020/7



CSF-39028/1



CSF-39028/2



CSF-39028/3



CSF-39028/4


## CSF-39028




CSF-91003/1



CSF-91001/1



CSF-91001/1




CSF-91001/4




CSF-91001/5



CSF-91002/2



CSF-91002/1



CSF-91002/2



CSF-91002/3



CSF-91003/6



CSF-91004/6




CSF-91004/1




CSF-91004/3



CSF-91004/5




CSF-91003/1




CSF-91003/2



CSF-91003/3




CSF-91003/4



CSF-91003/5



CSF-91003/6



CSF-91003/7



CSF-91003/8



CSF-91005/5



CSF-91005/1




CSF-91005/3




CSF-91005/6



CSF-91006/1



CSF-91006/3



CSF-91006/4




CSF-91008




CSF-91007/2




CSF-91007/3




CSF-91007/1



CSF-91007/2




CSF-91007/4



CSF-91007/7




CSF-91011/3



CSF-91011/1




CSF-91011/5



CSF-91011/8



CSF-91012/3



CSF-91012/12




CSF-91012/13




CSF-91012/3



CSF-91010/1



CSF-91010/1



CSF-91010/3



CSF-91009/2



CSF-91009/8



CSF-50962



CSF-50964



## Molding

PVC floor accessories include PVC skirting boards, flush stair noses, T-mouldings, end caps, reducers, stair noses, etc.

It has the characteristics of fireproof, waterproof, environmentally friendly, easy to set up and clean, not easy to deform, wear-resistant, and high strength, sound insulation, corrosion resistance, and aging resistance.



### Trend

The end cap is used as the finishing touch of the flooring edge at the outside doors. We can match end cap molding with the color of your floor.



### Flush Stair Nose

Flush Stair Nose can join your spc/wpc flooring directly with the click system.



### Reducer

A reducer is used to create a smooth transition between two floors of different heights, as well as protect the planks.



### Skirting

A skirting board is used around the edge of the room to hide the expansion gap between the flooring and the wall.



### Stair Nose

Stair Nose combines style and function to enhance the beauty of a staircase or step.



### T-Molding

T- Moldings are commonly used in doorways to join two floors in adjoining rooms.